

# List of Main References

Version: 27 March 2019

## CURODONT™ REPAIR

Alkilzy, M. et al (2018) "Self-assembling Peptide P11-4 and Fluoride for Regenerating Enamel." J Dent Res (97): (2018) 148

Barbosa-Martins, L. F. et al (2018) "Enhancing bond strength on demineralized dentin by pre-treatment with selective remineralising agents.» J Mech Behaviour Biomedical Materials <https://doi.org/10.1016/j.jmbbm.2018.03.007>

Barbosa-Martins, L. F. et al (2018) "Biomimetic Mineralizing Agents Recover the Micro Tensile Bond Strength of Demineralized Dentin» Materials 2018, 11, 1733; doi:10.3390/ma11091733

Bröseler, F. et al (2013). "Effect of Curodont REPAIR in patients with buccal carious lesions: a mono-centre, single-blinded, randomised, controlled, split-mouth study - intermediate report." Clin Oral Invest 17(2013): 1055.

Bröseler, F. et al (2015). "Behandlung primär kariöser Schmelzläsionen mittels selbst-organisierender Peptide – Daten einer randomisierten kontrollierten klinischen Studie." Deutscher Zahnärztetag 2015, Frankfurt am Main.

Brigi, C. (2014) "In vitro measurement of dental remineralisation: investigating a biomimetic self-assembling peptide treatment strategy" Master Thesis, Queen Mary, University of London.

Brubaker, L. et al. (2016) "Remineralization of Early-Enamel Lesions Using Biomimetic Regeneration Combined With Fluoride-toothpaste" AADR Abstract 1809, Los Angeles, USA.

Brunton, PA., et al, (2013) Treatment of early caries lesions using biomimetic self-assembling peptides – a clinical safety trial, Brit Dent J, 2013, 215: E6

Davies, R.P.W. et al, (2015) "Treatment of Fabricated Caries Lesions; Self-Assembling Peptides vs Fluoride. Abstract 143" Caries Res (49): (2015): 359

Hardaker, L. et. al (2013) An in vitro mineralisation assay to access capability of self-assembling-peptides to nucleate hydroxyapatite de novo. University of Leeds.

Jablonski-Momeni, A. & Heinzl-Gutenbrunner M. (2014) "Efficacy of the "Self-assembling peptide P11-4" in the formation of a remineralization scaffold on artificially induced enamel lesions on smooth surfaces." J Orofac Orthop, 75 (3): 175-190

Kamal, D. et al (2018) "Comparative evaluation of remineralizing efficacy of biomimetic self-assembling peptide on artificially induced enamel lesions: An in vitro study" J Conserv Dent 21:536-41

Kamal, D., et al (2017) "Comparative Evaluation of Remineralizing Efficacy of Biomimetic Self-Assembling Peptide on Artificially Induced Enamel Lesions» Caries Res 51:359

# List of Main References

Version: 27 March 2019

Kind, L., Wuethrich, A., Stevanovic, S., Pielers, U., Hug, M., Lysek, D. (2013). "A self-assembling peptide with the potential of non-invasive regeneration of early caries lesion." *Clin Oral Investig* 17(3).

Kind, L., et al (2014) "Comparing remineralization of natural and artificial carious lesions in human teeth." *Spie Smart Structure /NDE San Diego*.

Kind, L., et al (2017) "Biomimetic Remineralization of Carious Lesions by Self-Assembling Peptide." *J Dent Res* 96(7): 790-797.

Kirkham, J., et al. (2007). "Self-assembling peptide scaffolds promote enamel remineralisation." *J Dent Res* 86(5): 426-430.

Kucukyilmaz, E, et al. (2016) "Measuring the remineralization potential of different agents with quantitative light-induced fluorescence digital Biluminator" *J Appl Biomater Funct Mater* DOI: 10.5301/jabfm.5000317

Mannaa, A, et al. (2018) "RCT Investigating the Efficacy of Self-Assembling Peptide for Early Caries", IADR (London).

Patel, S. et al. (2016). "In Vitro Assessment of a Novel Biomimetic-Regeneration of Early Caries Lesions." AADR Abstract 1808, Los Angeles, USA.

Porta, F. et al. (2013). "In vitro Models for P11-4 Detection in Dental White Spots." *Swiss Nano Convention 2013*.

Ratzmann, A. et al (2018). «Evaluation von "Curodont Repair" in der Initialkariestherapie nach Multibracketbehandlung.» 91. Jahrestagung der DGKFO, Bremen, Germany.

Schlee, M. et al. (2013). "Effect of Curodont REPAIR in patients with proximal carious lesions: uncontrolled, non-interventional study - interim report." *Clin Oral Invest* 17: 1046-1047.

Schlee, M. et al. (2017). "Clinical performance of self-assembling peptide P11-4 in the treatment of initial proximal carious lesions: A practice-based case series." *J Invest Clin Dent*: DOI: 10.1111/jicd.12286.

Schlee, M. et al. (2014). "Klinischer Effekt biomimetischer Mineralisation bei Approximalkaries." *Stomagologie* 111(4-5):175-181.

Schmidlin, P. et al. (2016). "In vitro re-hardening of artificial enamel caries lesions using enamel matrix proteins or self-assembling peptides." *J Appl Oral Sci* 24(1):31-36

Silvertown JD, et al. (2017). "Remineralization of natural early caries lesions in vitro by P11-4 monitored with photothermal radiometry and luminescence." *J Invest Clin Dent*. 017;00:e12257. doi:10.1111/jicd.12257.

Sindhura, V. et al (2018). "Evaluation of enamel remineralizing potential of self-assembling peptide P11-4 on artificially induced enamel lesions in vitro." *J Indian Soc Pedod Prev Dent*, 36(4) 352-356.

# *List of Main References*

Version: 27 March 2019

Stevanovic, S., L. Kind, et al. (2013). "Remineralization of carious lesions by self-assembled peptide supramolecular networks and Hydroxyapatite nanocrystals." Swiss Nano Convention 2013

Stevanovic, S., et al. (2014). "Biomimetic remineralization of carious lesions by self-assembled peptide." Clariant Chemistry Days.

Suda, S., et al. (2018). "Application of the Self-Assembling Peptide P11-4 for Prevention of Acidic Erosion" Operative Dentistry, DOI: 10.2341/17-175-L

Takahashi, F. et al (2016). "Ultrasonic assessment of the effects of self-assembling peptide scaffolds on preventing enamel demineralization." Acta Odontol Scand (74): 142-7

Takahashi, H. et al (2016). "Evaluation of Application of Peptide P11-4 on Remineralization of Enamel." AADR Abstract 1804, Los Angeles, USA.

Takahashi, F. et al (2017). "Application of the Self-assembling Peptide P11-4 on Acid Erosion Prevention» IADR Abstract, San Francisco, USA

Üstün, N et al (2019). "Analysis of efficacy of the self-assembling peptide-based remineralization agent on artificial enamel lesions." Microsc Res Tech DOI: 10.1002/jemt.23254.

Wong, B. et al (2014) "In vitro Detection of Remineralisation of Early Caries Using Curodont Repair and The Canary System™. Abstract 52". Caries Res (48): (2014) 408.

# List of Main References

Version: 27 March 2019

## CURODONT™ PROTECT & CURODONT D'SENZ

- Ceci M. et al, (2015) "Effect of Self-Assembling Peptide P11-4 on Enamel Erosion: AFM and SEM Studies" *Scanning* (9999): 1-8.
- Chen X. et al, (2014) "In vitro Evaluation of Dentine Remineralisation by a Self-Assembling Peptide Using Scanning Electron Microscopy. Abstract 40" *Caries Res* (48): (2014) 402.
- Chen X. et al, (2014) "Dentine Tubule Occlusion of a Novel Self-assembling Peptide Containing Gel" (2014) IADR, Cape Town.
- Jablonski-Momeni, A. et al. (2019) "Randomised in situ clinical trial investigating self-assembling peptide matrix P11-4 in the prevention of artificial caries lesions" *Scientific Reports* volume 9, Article number: 269
- Lysek, D.A. (2014) "Self-Assembling Peptides and their Clinical Applications in Dentistry" (2014) Mini Meeting Self Assembling Peptides with A Focus on Remineralisation, London.
- Lysek, D.A. et al. (2016) „Randomised Clinical Trial Evaluating a Novel Dentine Hypersensitivity Relieve Gel" AADR Abstract 486, Los Angeles, USA.
- Müller, P. et al. (2013) "Evaluation of a tooth gel with Curolox® Technology as part of professional tooth-cleaning, with regards to patient satisfaction and the effects of hypersensitivity" *Swiss Dental Hygienists Conference 2013*, Lausanne.
- Saxer, U.P. et al (2014) "Efficacy of CURODONT™ D'SENZ to reduce tooth sensitivity when applied before professional dental cleaning" *Internal Report*.
- Schlee M., et al. (2018). "Self-Assembling Peptide Matrix for treatment of dentin hypersensitivity: A randomized controlled clinical trial" *J Periodontol* doi: 10.1002/JPER.17-0429.
- Soares, R. et al (2017) "Assessment of Enamel Remineralisation After Treatment with Four Different Remineralising Agents: A Scanning Electron Microscopy (SEM) Study" *J Clin Diagn Res* Vol-11(4): ZC136-ZC141

## CUROLOX® PERIO

- El-Sayed, B. et al (2017). "Periodontal Regeneration in a Rat Model Using Self-Assembling Peptides." *BSODR*, Plymouth
- Koch, F., et al (2018). "Mechanical characteristics of beta sheet forming peptide hydrogels are dependent on peptide sequence, concentration and buffer composition" *R.Soc Open Sci* 5: 171562.
- Koch, F., et al (2018) "Amino acid composition of nanofibrillar self-assembling peptide hydrogels affects responses of periodontal tissue cells in vitro" *Int J Nanomedicine* 2018:13  
doi.org/10.2147/IJN.S173702

# ***List of Main References***

Version: 27 March 2019

Meyer, N. et al. (2016). "In vitro periodontal ligament model to assess synthetic self-assembling peptides for regeneration." Biointerfaces International, Zürich

Waller, T. et al (2018). "Effects of Self-Assembling Peptide P11-4 on Periodontal-Regenerative Surgery - An Acute Dehiscence Model in Dogs" EuroPerio9, Amsterdam

# List of Main References

Version: 27 March 2019

## CUROLOX™ TECHNOLOGY

- Aggeli, A., M. Bell, et al. (1997). "Responsive gels formed by the spontaneous self-assembly of peptides into polymeric beta-sheet tapes." *Nature* 386(6622): 259-262.
- Aggeli, A., M. Bell, et al. (2003). "pH as a trigger of peptide beta-sheet self-assembly and reversible switching between nematic and isotropic phases." *J Am Chem Soc* 125(32): 9619-9628.
- Barbosa-Martins, L.F. et al (2018) "Biomimetic Mineralizing Agents Recover the Micro Tensile Bond Strength of Demineralized Dentin." *Materials* Sep 14;11(9): pii: E1733. doi: 10.3390/ma11091733.
- Burke, J.L. (2011) "In situ engineering of skeletal tissues using self-assembled biomimetic scaffolds." PhD Thesis, University of Leeds, Leeds Dental Institute.
- Carrick, L. M. et al (2007) Effect of ionic strength on the self-assembly, morphology and gelation of pH responsive  $\beta$ -sheet tape-forming peptides." *Tetrahedron*, 63(31): 7457-7467.
- Davies, R.P.W. et al (2014). "Novel Self-Assembling Peptides, for the Treatment of Early Caries Lesions" *Caries Res* (48): (2014) 404.
- Davies, R.P.W. et al (2015). "Treatment of Fabricated Caries Lesions; Self-Assembling Peptides vs. Fluoride" *Caries Res* (49): 359
- Felton, S. (2005): "Self Assembling  $\beta$ -sheet Peptide Networks as Smart Scaffolds for Tissue Engineering". PhD Thesis, University of Leeds, Leeds Dental Institute.
- Firth, A., et al. (2006). "Biomimetic self-assembling peptides as injectable scaffolds for hard tissue engineering." *Nanomed* (1): (2006) 189.
- Kang, J., et al. (2016). "Multi-level modelling to further understanding of micro-CT data", *Enamel9 Conference*, Leeds, UK.
- Kirkham, J., A. Firth, et al. (2007). "Self-assembling peptide scaffolds promote enamel remineralisation." *J Dent Res* 86(5): 426-430.
- Kyle, S., A. Aggeli, et al. (2010). "Recombinant self-assembling peptides as biomaterials for tissue engineering." *Biomaterials* 31(36): 9395-9405.
- Kyle, S., A. Aggeli, et al. (2008). "The self-assembling peptide, P11-4 for a scaffold in regenerative medicine." *Eur Cell and Materials* 16(Suppl 3): 70.
- Maude, S., E. Ingham, et al. (2013). "Biomimetic self-assembling peptides as scaffolds for soft tissue engineering." *Nanomedicine (Lond)* 8(5): 823-847.
- De Sousa, J.P., Puppini-Rontani, R.M. et al. (2018) "The Self-Assembling Peptide P11-4 Prevents Collagen Proteolysis in Dentin" *J Dent Res* <https://doi.org/10.1177/00220345188173>

# *List of Main References*

Version: 27 March 2019

Wilshaw, S. P., A. Aggeli, et al. (2008). "In vivo assessment of the immunogenicity of self-assembling peptides for use in regenerative applications." *Eur Cell and Materials* 16(Suppl 3): 97.

## CUROLOX™ Whitening

Bommer, C. et al. (2016). "Tooth-Whitening Effect of a Curolox-Technology based Investigational Product." AADR Abstract 1843, Los Angeles, USA.

Bommer, C. et al (2018) " Hydroxyapatite and Self-Assembling Peptide Matrix for Non-Oxidizing Tooth Whitening" *J Clin Dent* 2018;29:57–63

Kunzelman, K.-H., Lysek, D.A. (2015). "Working Mechanism of Tooth Withening Based on Hydroxyapatite Suspended in a P11-4 Peptide Matrix." IADR Abstract 838, Boston, USA.

# List of Main References

Version: 27 March 2019

## Dental Reviews

Acharya, G. et al (2016). "Recent Biomimetic Advances in Rebuilding Lost Enamel Structure." J Int Oral Health 8(4):527-535

Alkilzy, M. et al (2018). "Treatment of Carious Lesions Using Self-Assembling Peptides." Adv Dent Res 29(1): 42-47.

Amaechi, B. T. (2015). "Remineralization therapies for initial caries lesions." Current oral Health Reports 2(2): 95-101

Amaechi, B. T. (2017). "Remineralization – the buzzword for early MI caries management." Br Dent J 223(3): 173-182.

Buzalaf, M. A. & Pessan, J. P. (2017). "New Preventive Approaches Part I: Functional Peptides and Other Therapies to Prevent Tooth Demineralization» Monogr Oral Sci 26: 88-96

Clarkson, B. H. & Exterkate, R. A. M. (2015). "Noninvasive dentistry: a dream or reality?" Caries Res 49 Suppl1: 11-17

Donovan, T. E. et al. (2014). "Annual review of selected scientific literature: report of the Committee on Scientific Investigation of the American Academy of Restorative Dentistry." J Prosthet Dent 112(5): 1038-87

Gonzalez-Cabezas, C. & Fernandez, C.E., (2018) "Recent Advances in Remineralization Therapies for Caries Lesions" Adv Dent Res 29(1) 55-59

Pandya, M. & Diekwisch, T. (2019) «Enamel biomimetics-fiction or future of dentistry" Int J Oral Sci 11(1) 8

Philip, N. (2018). "State of the Art Enamel Remineralization Systems: The Next Frontier in Caries Management." Caries Res 53: 284-295

Pitts, N. (2013). "Summary of: Treatment of early caries lesions using biomimetic self-assembling peptides - a clinical safety trial." Br Dent J 2015(4): 174-175